UNIFORM HAZARDOUS	ned for use on elite (12-pitch) typewriter	f.)					Form	n Approved. C	MB No.	2050-00
WASTE MANIFEST	1. Generator ID Number WAD980738546	2. Page 1 o	Se	gency Response e Block 14	4 below		<u> 376</u>	081	5 J.	JK
5. Generator's Name and Mailing Alaskan Copper 3200 Sixth Aven Seattle WA 981 Generator's Phone: 208, 382	Works nue South		Generato	r's Site Address	(if different th	an mailing addres				
7. Transporter 2 Company Name	led Transpo	rtation	lx			U.S. EPA ID N	umber .	<u>0013</u>	\$7/	7
8. Designated Facility Name and World Resource 8113 West Sher Tolleson, AS 85	s Company man Street					U.S. EPAID	lumber 98073	15500		
9a. 9b. U.S. DOT Description HM and Packing Group (if an	n (including Proper Shipping Name, Hazard (iy))	Class, ID Number,		10. Contair No.	iers Type	11. Total Quantity	12. Unit Wt./Vol.	13. W	aste Code	3
X RQ, NA3077 (F008), 9, III	, Hazardous waste, solid,	n.o.s.		Ø\$1	CF	1394	Ρ	F008		
2							. 41			
3,					-			•		14. . 1.
4										
marked and labeled/placarde Exporter, I certify that the col	"S CERTIFICATION: I hereby declare that t ed, and are in all respects in proper condition intents of this consignment conform to the te nization statement identified in 40 CFR 262.2	n for transport according to app rms of the attached EPA Ackno	olicable inten owledgment	Use nd accurately des national and nation of Consent.	compa cribed above onal government	ental regulations.	World I	Resource	fied pack	ged.
Generator's/Offeror's Printed/Type			ignature	Port of ent	***************************************			Month O	Day 28	Yea Ø
Transporter signature (for exports 17. Transporter Acknowledgment of	of Receipt of Materials			Date leavir				, , , , , , , , , , , , , , , , , , ,		
Transporter 1 Printed/Typed Name		Ş	ignature	2	0		-	Month	Day	Year
Transporter 2 Printed/Typed Name	Liragu		ignature ignature	2//	7	—		Month 69 Month	Day Day	15
Transporter 2 Printed/Typed Name	Lican		2	Residue	J	Partial Reje	ction	89 Month	122	Year
Transporter 2 Printed Typed Name 18. Discrepancy 18a. Discrepancy Indication Space 18b. Alternate Facility (or Generate	e Quantity	S	ignature	Residue	Number:	Partial Reje U.S. EPA ID No		89 Month	Day	Year
Transporter 2 Printed/Typed Name 18. Discrepancy 18a. Discrepancy Indication Space 18b. Alternate Facility (or Generate Facility's Phone: 18c. Signature of Alternate Facility	e Quantity or)	S S Type	ignature	nifest Reference	Number:			89 Month	Day	Year
Transporter 2 Printed/Typed Name 18. Discrepancy 18a. Discrepancy Indication Space 18b. Alternate Facility (or Generate Facility's Phone: 18c. Signature of Alternate Facility 19. Hazardous Waste Report Mane 1. H039	e Quantity or)	Type ardous waste treatment, dispos	Man	nifest Reference				Month	Day Full Reje	Year

WORLD RESOURCES
11:09AM 16/05/2009
GROSS 1393 16
TARE 77 16
NET 1316 16
ACCUM 1318 16
10/05/2009 11:09AM

Total 1316 16 = 0.66 Tons

Ple		int or type. (Form designed for use on elite (12-pitch) type			1		n Approved. C	MB No. 20	050-0039
1		FORM HAZARDOUS 1. Generator ID Number ASTE MANIFEST WAD 980738546	2. Page 1 of	3. Emergency Response Phone See Block 14 below	4. Manifest		081	5 JJ	K
	5. Ge	nerator's Name and Mailing Address		senerator's Site Address (if different tha	n mailing addres	is)			
	1 :	Alaskan Copper Works 3200 Sixth Avenue South Seathlene: WA 88124 Patricip 1 Company Name 9378	1	The state of the s					
			and the second of	/	U.S. EPAID N				
П	کِدا	insporter 2 Company Name	XOI BE TOUR A	Ge.	1000	200	<u>CC3</u>	- 7/	7
	7. Tra	Insporter 2 Company Name			U.S. EPA ID N	lumber			
	ł	signated Facility Name and Site Address World Resources Company	· · · · · · · · · · · · · · · · · · ·		U.S. EPA ID N	lumber			
	1 4	World Nest Sherman Street Tolleson, AZ 85353 (892) 233 9166			AZD!	98073	35500		
	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hand Packing Group (if any))	azard Class, ID Number,	10. Containers No. Type	11. Total Quantity	12. Unit Wt./Vol.	13. Wa	ste Codes	
GENERATOR .	x	RQ, NA3077, Hazardous waste, s (F006), 9, III	olid, n.o.s.	CF CF		Р	F006		
嵩		2.							
3									
		3.							
									
1		4.							
		4.						1	
	14. Sn	pecial Handling Instructions and Additional Information					<u> </u>		
	15. G	GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare marked and labeled/placarded, and are in all respects in proper co	ndition for transport according to applical	ole international and national governme	VAC at: 1- y name 1	800-5: World I	35-5053 Resource	ed package	ed
1	E	exporter, I certify that the contents of this consignment conform to certify that the waste minimization statement identified in 40 CFF	the terms of the attached EPA Acknowled (262,27(a), (if I am a large quantity general	igment of Consent. Stor) or (b) (if I am a small quantity gene	rator) ie true			,	
ı		ator's/Offeror's Printed/Typed Name	Signa		attory to true.		Month	Day	Year
\downarrow		ornotional Shipmonto	1		Miles and April		Tarry.	1,251	C19
힏		ernational Shipments Import to U.S.	Export from U.S	. Port of entry/exit:			थ आर्थ ह		Total V
Z	Transp	porter signature (for exports only):	EI EXPORTION U.S	Date leaving U.S.:					
品		insporter Acknowledgment of Receipt of Materials			****				
TRANSPORTI	Transp	orter 1 Printed/Typed Name	Signal	ure			Month	Day	Year
쭚	_	hopoles lucion		Karana Andrews	signise.			123	157
Š	Transp	orter 2 Printed/Typed Name	Signa	ture			Month	Daÿ	Year
	40 5							<u> </u>	
1		corepancy		<u> </u>		···	<u> </u>		
	roa. Di	iscrepancy Indication Space Quantity	Туре	Residue	Partial Reje	ction		Full Rejecti	ion
_	40'			Manifest Reference Number:				····	
5	18b. Ali	ternate Facility (or Generator)			U.S. EPA ID No	ımber			
뎧	_				1				l
님		's Phone: gnature of Alternate Facility (or Generator)			<u> </u>				
삙	iou. Oli	gnature of Alternate Facility (of Generator)					Month	Day	Year
DESIGNATED FACILITY	10 Ha-	zardous Wasta Papart Massacoment Math-d Cada- 6 - 11 - 11	ar horozofa un ugrafa Augusta 4 - 31 4						
ន្ន	19. Haz 1.	zardous Waste Report Management Method Codes (i.e., codes for	or hazardous waste treatment, disposal, a	na recycling systems)	- 14				
9	••	H038]3.		4.				
	20 Dec	signated Facility Owner or Operator: Certification of receipt of haz	andous materials covered by the manifest	t except as noted in Hom 10a	<u>.</u> L			2.0	
		Typed Name	ardous materials covered by the manifes				Month	Day	Year
$\downarrow \mid$.					Juy J I	, 3ai
: 1		3700-22 (Rev. 3-05) Previous editions are obsolete.	·				ATOR'S IN		
PA	Form F								



TO:

WORLD RESOURCES COMPANY

ARIZONA RECYCLING FACILITY

...in partnership with the environment®

World Resources Company

LDRN LAND DISPOSAL RESTRICTION NOTICE

A copy of this Notice must be retained by the generator for at least three (3) years pursuant to U.S. EPA regulations, 40 CFR §268.7(a)(8). Moreover, the generator should check the hazardous-waste regulations of its own state, because if there is a state analogue to the federal regulation, it may require longer retention time, such as five (5) years. It should also be noted that the federal regulation (and, typically, a state analogue as well) requires the retention period to be extended in specified cases.

EPA Materia	formation is pro	the land disposal restriction ovided in accordance with 40 Treatability Group Non-wastewater	ons of 40 CFR Part 268. The action of 40 CFR \$268.7(a)(2) and is showing the control of the cont	ipplicable Lan lown below:
isposal Restriction Inf	formation is pro	ovided in accordance with 40	O CFR §268.7(a)(2) and is sh	ipplicable Lan lown below:
ate of Shipment:		·		
lanifest Number:	003	760812 JJK		
		(Phone)		
	Sea	(Address) attle, WA 98124		
	3200 8	Sixth Avenue South		
KOWI.		(Company Name)		
ROM:		e de la companya de		

PAF: rek/Facility Forms Manual/Transportation-072 AZF: AZF010//F18 Date: 5/16/2007, Revision: Original

(Title)

Em Mo. ASS

Copyright 2006 World Resources Company

Material Safety Data Sheet

MSDS ID # AZ-10-F

F006 Recyclable Material (Filter Cake)

Recycler:

World Resources Company

8113 West Sherman Street

Tolleson, AZ 85353

Tel: (602) 233 9166 Fax: (623) 936 9164

November 2007 DLS

Call INFOTRAC only in the event of emergencies during shipping that

involve a spill, leak, fire or accident

(all calls are recorded)

For Emergencies During Shipping in the US or Canada, Day or Night,

Call: INFOTRAC 1.800.535.5053

Reference Company Name: "World Resources Company" Outside the United States Call Collect:

001-352-323-3500

RQ, Hazardous waste solid, n.o.s. (F006)

Section 1 Material Identification

EPA Waste Classification: F006

Generic Name: Electroplating/Metal-Finishing Wastewater Treatment Sludge

Chemical Family: Metallic (Hydroxide) Precipitates

Synonym: Non-ferrous Metal Hydroxide Filter Cake

DOT Shipping Name: DOT Hazard Class:

DOT Packing Group: 111

DOT Identification Number: NA 3077

Guide 171 of the North American Emergency Response Guidebook Applies

Section 2 Hazardous Ingredients Ingredient: **CAS Number:** OSHA PEL (8hr TWA): Content (%): Toxicology (rat, oral): Copper Hydroxide 20427-59-2 0 - 301.0 mg(Cu)/m3 (Dust) LD-50 1,000 mg/kg 0 – 15 1.0 mg(Ni)/m³ 12054-48-7 Nickel Hydroxide (Dust) LD-50 1,500 mg/kg Calcium Hydroxide 1305-62-0 0 - 155.0 mg/m³ (Dust) LD-50 7,340 mg/kg Diatomite 61790-53-2 LD-50 Not Determined 0 - 105.0 mg/m³ (Dust)

Section 3 Physical and Reactivity Data

Description: Solid, Clay-like, Gray/Green

to Brown, Moisture ~ 30 - 80%

Specific Gravity: 2.5 to 3.5 Solubility: Insoluble in Water Density: 50 - 90 lbs/ft

Incompatible Reactivity: None Known Vapor Pressure: Insignificant

Stability: Avoid Contact with Acids **Boiling Point:** Above 2 600°C

Melting Point: Above 1,800°C pH: 7.0 to 10.0 Odor:

Polymerization: Will Not Occur

Section 4 Fire and Explosion Data

Flashpoint: Nonflammable **Special Firefighting Procedures:**

Decomposition (Due to Fire or Explosion):

Oxidation: Explosive:

None

Non-oxidizing Non-explosive

NFPA Fire Diamond

Section 5 **Toxicity**

Listed Carcinogen Components: Route of Entry: Nickel See Sec. 2 Toxicology: Inhalation, Ingestion

Section 6 Health Effects and First Aid Inhalation: Dust may irritate mucous membranes and upper respiratory tract. Remove to fresh air and treat symptoms.

Ingestion: Rare in industry. Induce vomiting (do not induce vomiting or give a liquid to an unconscious person) and call a physician.

Eves: Dust may irritate eyes. Wash with copious amounts of water for 15 minutes, if effects persist, call a physician.

Skin: Dust may irritate skin with prolonged contact. Wash with soap and water.

Comments: Special attention should be given to employees with anemia, restricted respiratory abilities, lung cancer, permanent kidney damage and

metal-sensitive skin or skin lesions. Unprotected long-term overexposure may cause effects to the following target organs or body

systems - blood, digestive, respiratory, liver, kidneys and skin.

Section 7 Precautions for Safe Handling

Handling: Good personal and industrial hygiene should always be practiced. It is recommended that personal protective equipment (PPE) be used by personnel who will come in contact with this material. The PPE should include eye protection, respirator and gloves.

Storage: Keep covered and avoid conditions where wind could cause dispersal. Do not eat, drink or smoke where material is handled to avoid

inhalation or ingestion. Store in a dry area under cover to protect from rain.

Spills: Use cleaning procedures that avoid creating excessive dust. Vacuum when possible. Package material and ship to consignee or return to

World Resources Company at the above address.

Section 8 **Control Measures**

Respiratory Protection: NIOSH-MSHA approved respirators as required. Eye Protection: Safety glasses recommended.

Other Protective Equipment: Coveralls are recommended, but not required. **Hand Protection:** Gloves recommended

Section 9 Generator's Verification DO3760815 JJK This MSDS describes the material listed in the attached Manifest #:

Alaskan Copper Works Company Name:

Company Address: 3200 Sixth Avenue South, Seattle, WA 98124

Date: 9-28-05 Telephone: 206-382-8379 Signature: